


Test stand
Dynamo





Published by A4 Company

5, avenue de l'Atlantique
Z.I. de Courtabœuf - 91940 Les Ulis
Tél. : 33 (0) 1 64 86 41 00 - Fax. : 33 (0) 1 64 46 31 19
www.a4.fr

SUMMARY

Test stand preparation	1
Assembly drawing and nomenclature	2
Educational suggestion and correcting	3 and 4
Student sheets	5 to 8

CDROM

This project's CDRom is available in the Company catalogue (ref "CD-BE1").

It contains :

- The FreeHand version file (editable with this software - Evaluation version included).
- The PDF version file (readable and printable with AcrobatReader software).
- CharlyGraal format machining files.
- The full 3D modeling on SolidWorks, Parasolid and eDrawings format.

Related products (See A4 catalogue)

Crank generator
Ref. : MOTO-GENE-B



Crank flashlight
Réf. : K-LM-01



The test stand allows to study the electricity production principle.
The "MOTO-GENE-B" crank generator allows to realize a flashlight functional prototype.
The "K-LM-01" flashlight allows to show a commercial product application.

This file and CDRom may be duplicated for students and for school internal use*


*Duplication of this file is permitted without limit of quantity in schools, for educational purpose only, with the condition to name the publisher : A4 Company. Copying or distribution by any mean whatsoever for commercial purpose aren't permitted without A4 Company agreement.

Copying or distribution by any mean whatsoever outside school internal use of all or part of the file or CDRom aren't permitted without A4 Company agreement .

Presentation - Preparation of the model in kit delivered 1/2


1 - Mounting axles on the plate

Fit and stick the two axles in the two $\varnothing 6$ plate holes.



2 - Mounting spacers on axles


Fit and stick the 8 mm high spacer on (A) axle, fit and stick the 10 mm high spacer on (B) axle.



3 - Mounting the coil on the plate


Fit and stick the two plate flanges into plate grooves.

Be careful about the mounting direction (coil screw head on rotor side).




4 - Mounting the terminal

Put the terminal into its cavity and maintain it with the 2×13 screw.



5 - Coil wiring / terminal / LED


Bend the two LED pins and connect them in the terminal as indicated on the drawing below.



Presentation - Preparation of the model in kit delivered 2/2


6 - Mounting the axle-bearing on the 40 cogs large cogwheel

Fit and stick the barrel into the Ø 9 cogwheel central hole.




7 - Mounting the crank on the 40 cogs large cogwheel

Fit and stick the crank into the Ø 6 cogwheel hole.




8 - Mounting the 8 cogs cogwheel on the rotor


Maintain the cogwheel with the 4 3 x 9,5 cylindrical head screws .




9 - Mounting assemblies (cogwheel / rotor) on the test stand

Fit and stick first the cogwheel on A axle
then fit the rotor on B axle.






09	01	Rotor	Expanded PVC - Equipped with 10 magnets - 8 cogs cogwheel
08	01	40 cogs cogwheel	(with crank and axle-bearing) Ø 168 mm external expanded PVC
07	01	LED	Ø 10 mm yellow
06	01	Terminal	2 terminals
05	01	Coil	100 m enamelled copper wire Ø 0.315 mm
04	01	Spacer	Ø 6 mm int x Ø 10 mm ext x 10 mm high nylon
03	01	Spacer	Ø 6 mm int x Ø 8 mm ext x 8 mm high nylon
02	02	Axle	Alu Ø 6 mm
01	01	Plate	256 x 80 x 10 mm thickness expandes PVC
MARK	NUMBER	FUNCTIONS	CHARACTERISTICS
		 A4 School	PROJECT TEST STAND Dynamo
Class			PART Assembly
Name		Date	DOCUMENT TITLE Perspective assembly drawing

Educational operation 1/2

This model is designed to test electrical production by varying a magnetic field into a solenoid.

It allows to visualize an energy transformation:


- 1 - Movement produced manually (muscle energy).
- 2 - Movement amplification with gear (5 factor with 40 and 8 cogs cogwheels).
- 3 - Electrical production through a solenoid.
- 4 - Light energy production in a LED.



Some educational suggestion


1 - Discovery, observation and dynamo test stand take in hand

Rather than assigning the test stand ready to use to a group of students, let them discover the disassembled parts and ask them to describe object and imagine what it can be used. This forces the technical object observation skills.



Example of questions :

- Describe that object, what it's made of, what can it be used for ?



Types of expected answers :

There is a light that should illuminate.

There is a coil with metal wire.

There is a wheel with magnets. This wheel must rotate on its axle.

There is a cogwheel that must cog on the small wheel with magnets.

This is probably due to rotate wheels that will produce something...

Turn on the LED ?

This object can be named a light appliance or rather generator or dynamo,

Student sheet page 06.

Educational operation 2/2

2 - Description of different parts

After the informal discovery of the test stand, ask to name each element on a drawing and give all the visible features.

Student sheet page 07, correcting elements below :

Part 1 - Plate :

*White light plastic. 256 x 80 x 10 mm rectangular parallelepiped form.
Parts cut into a drilled plate. Used as holder to all other parts.*

Part 2 - Axles :

*Plastic or alu ring. 6 mm diameter x 50 mm high. Cylindrical form.
Part cut into a ring. Used as holder and guide to rotating wheels.*

Part 3 - Bobine :

*"enamelled" copper wire (isolated with a varnish) wrapped as a 30 diameter x 40 length coil.
Used to produce electricity.*

Part 4 - Terminal :

*Plastic and metal. 16 x 14 x 13 high. Parallelepiped general form.
Molded part (injection in a mold) around metal connectors. Used to connect wires.*

Part 5 - LED :

*Transparent plastic and metal. 10 mm diameter x 14 high. Cylindrical form.
Molded part (injection) around metal elements. Used to produce light.*

Part 6 - 40 cogs cogwheel

*Soft plastic material. 168 diameter x 6 mm thickness. Cut disk like a cogwheel.
Handles as crank type attached on the top.
Part realized by cutting into a plate. Used as a crank to transmit movement to the small wheel.*

Part 7 - Rotor

Soft plastic and metal materials. 70 mm diameter x 17 mm thickness. Disk general form. 10 attached magnets on the top; 8 cogs cogwheel attached on the bottom. Part realized by assembling cut parts and magnets. Used to make varying magnetic fields in front of the coil to produce electricity.

3 - Utilization of the test stand to produce electricity and turn on the LED

Let students run the test stand. They are asked to describe what happens.

Correcting elements below :

- LED turns on when one rotates the crank.
- Whatever the direction of rotation, the result is the same.
- The more one rotates fast, the more the LED produces light.
- LED illuminates thanks to electricity (wires presence). It's the wheels rotation that produces electricity. It's magnets displacement in front of the coil that produces this current.

These practical observations on the test stand can be followed by a simple course about electrical current production. A parallel can be made with a cycle dynamo, a crank flashlight, a car alternator, an electric power plant, ...

4 - Functional mapping: energy transformation


Identify on drawing the main elements and nature of energy which they are associated.

Identify movements of the main elements and their functions.


Complete a diagram that shows the chain of energy transformation on the test stand :

- muscle energy - mechanical energy - electricity - light energy.


Student sheet page 09, correcting below.



Element	Movement	Function
40 cogs wheel	Rotation	Allows to initiate a movement with the crank. Cog the rotor
Rotor	Rotation	Allows to rapidly move magnets in front of the coil
Coil	None	Generate an electric current from a magnetic field variation
LED	None	Converts the electric current into light




Discovery and observation of a technical object

**You have a technical object shown above.**

By observing it and trying to make it run, describe it by answering these questions : what is it made of, what can it be used for, how could it be named ?

Description of different parts 1/2



Description of part 1

Material, colour :

General form :

Fabrication :

Function :

Description of part 2

Material, colour :

General forme :

Fabrication :

Function :

Description of part 3

Material, colour :

general form :

Fabrication :

Function :

Description of part 4

Material, colour :

General form :

Fabrication :

Function :

Description of part 5


Material, colour :

General form :

Fabrication :


Function :

Description of different parts 2/2




Description of part 6

Material, colour :
General form :
Fabrication :
Function :



Description of part 7

Material, colour :
Forme générale :
Fabrication :
Function :




Fabrication sheet - From K-HT kit evaluation

1- Locate different energies types transformed in this mechanism.

Complete drawing below by indicate, for each part marked by its designation, the energy type :

- Electrical energy
- Mechanical energy
- Light energy
- Muscle energy



2- Movements identification

Complete the table,
Indicate with arrows on drawing above, movements of mobil parts.

Element	Movement	Function
40 cogs wheel	Rotation	
Rotor		
Coil		
LED		

3- Complete the diagram that represents the energy transformation chain in this mechanism.

40 cogs cogwheel

Movement :
rotation

Energy

Rotor

Movement :
.....

Energy

Coil

Movement :
.....

Energy

DEL

Movement :
none

Energy